American Public Health Association 139th Annual Conference Healthy Communities Promote Healthy Minds and Bodies

Session 4192.0 Lessons learned from community based participatory research projects

Urban Church, Community and Academic Partners Impact Youth Health and Endurance Tuesday, November 1, 2011

Judy B Springer, PhD Milwaukee Area Technical College Badgerland Striders

Jeffrey Morzinski, PhD, and Melissa DeNomie, MS Medical College of Wisconsin

Willie Davis Greater New Birth Church (at the time the research was conducted) Marquette University (current)

For questions or additional information please contact

Judy Springer, PhD springej@matc.edu 414-297-7000, extension 79202

Accessed 2011 August 31. URL:

References

- (1) Centers for Disease Control and Prevention. 2010 National Youth Physical Activity and Nutrition Study. (Updated June, 2011) Accessed October 21, 2011. URL: http://www.cdc.gov/healthyvouth/yrbs/nypans summary.htm
- (2) Centers for Disease Control and Prevention. Health behaviors of adults: United States, 2005-2007. *Vital and health statistics.* Series 10, number 245. (Updated March, 2010)

http://www.cdc.gov/nchs/data/series/sr 10/sr10 245.pdf.

- (3) Leifer AD, Lesser GS. The development of career awareness in young children. Washington DC: US Department of Health, Education, and Welfare, Education Division. National Institute of Education, Education Work Group, 1996.
- (4) Gonzalez LS, Kearns EH, Lafferty S, Lampignano J, Pappas VM. The middle school mentoring program in allied health: a proposed model. J Allied Health 2000;29(2):114-119.
- (5) US Department of Health and Human Service. Healthy People 2020. Accessed 2011 August 31. URL: http://www.healthypeople.gov/2020/

- (6) Smith SG, Nsiah-Kumi PA, Jones PR, Pamies RJ. Pipeline programs in the health professions, part 1: preserving diversity and reducing disparities. J Natl Med Assoc 2009;101:836-840.
- (7) Collins WL. The Black church as a practice resource: networking on behalf of at-risk African American youth. Social Work Christianity 2006;33(2):178-194
- (8) Kaplan S, Ruddock C, Golub M, et al. Stirring up the mud: Using a community-based participatory approach to address health disparities through a faith-based initiative. Journal of Health Care for the Poor and Underserved 2009;20:1111-1123.
- (9) Whitt-Glover MC, Hogan PE, Lang W, Heil DP. Pilot study of a faith-based physical activity program among sedentary blacks. Prev Chronic Dis 2008;5(2):1-9.
- (10) Durse OK, Sarkisian CA, Leng M, Mangione CM. Sisters in motion: a randomized controlled trial of a faith-based physical activity intervention. J Am Geriatr Soc 2010;58:1863-1869.
- (11) Williams EG. Health ministries: Conduit for community based participatory research in nutrition and physical activity promotion [Abstract]. Proceedings of the 131st Annual Meeting of the American Public Health Association, November 15 to 19, 2003. 2011 August 31. URL:http://apha.confex.com/apha/131am/techprogram/paper-72066.htm.
- (12) Wilcox S, Laken M, Anderson T, Bopp M, Bryant D, Carter R, et al. The health-e-AME faith-based physical activity initiative: description and baseline findings. Health Promot Pract 2007;8(1):69-78.
- (13) Baruth M, Wilcox S, Saunders R, Laken M, Condrasky M, Evans RB. The relationship between types of social support and physical activity in African American church members. Med Sci Exerc Sport 2008;40(Suppl 5):S358.
- (14) Brownstein JN, Bone LR, Dennison CR, Hill MN, Miyong KT, Levine DM. Community health workers as interventionalists in the prevention and control of heart disease and stroke. Am J Prev Med 2005;29(5 Supple 1):128-133.
- (15) Fernandez S, Scales KL, Pineiro JM, Schoenthaler AM, Ogedegbe G. A senior center-based pilot trial of the effect of lifestyle intervention on blood pressure in minority elderly people with hypertension. J Am Geriatri Soc 2008;56(10):1860-1866.
- (16) Hayes A, Morzinski J, Ertl K, Wirm C, Patterson L, Wilke N, Whittle J. Preliminary description of the feasibility of using peer leaders to encourage hypertension self-management. Wisconsin Medical Journal 2010;109(2):85-90.
- (17) Nine SL, Lakies CL, Jarrett HK, Davis BA. Community-based chronic disease management for African Americans. Outcomes Management 2003;7(3):106-112.
- (18) Anderson N, Wold B. Parental and peer influences on leisure-time physical activity in young adolescents. Res Q Exerc Sport 1992;63:341-348.
- (19) City of Milwaukee. City of Milwaukee Neighborhood Strategic Planning Area Statistics, June 30, 2009 to July 1, 2010. Accessed 2011 August 31 URL:
- http://itmdapps.ci.mil.wi.us/publicApplication SR/neighborhood/neighborhoofm.faces
- (20) Public Health Agency of Canada and the Canadian Society for Exercise Physiology. Physical Activity Readiness Questionnaire [Par-Q]. 2007.
- (21) Children's Hospital Institute of Sports Medicine. Exercise and physical activity readiness assessment for children and adolescents. 2011, August 31. URL: http://www.chw.edu.au/chism/
- (22) Okura T, Tanaka K. A unique method for predicting cardiorespiratory fitness using rating of perceived exertion. J Physiol Anthropol 2004;20(5):255-261.

- (23) Ceci R, Hassmen P. Self-monitored exercise at three different RPE intensities in treadmill versus field running. Med Sci Sports Exerc 1991;23(6):732-738.
- (24) Robertson RJ, Goss FL, Auble TE, Cassinelli DA, Spina RJ, Glickman EL, Galbreath RW, Silberman RM, Metz KF. Cross-modal exercise prescription at absolute and relative oxygen uptake using perceived exertion. Med Sci Sports Exerc 1990;22(5):653-659.
- (25) McArdle WD, Katch FI, Katch VL. Exercise Physiology, Energy, Nutrition, and Human Performance, 6th ed. Lippincott, Williams and Wilkins, 2006.
- Robertson RJ. Perceived Exertion for Practitioners: Rating Effort with the OMNI Picture System. Champaign, IL: Human Kinetics, 2004.